



TECHNICAL SUMMARY



COOL xs

COOL

SMART

SMART xL

SMART +

SMART xL+

CLASSIC

DREAM

1
Tank

Production	Cold Drinks	Cold Drinks	Frozen Drinks	Frozen Drinks	Frozen Drinks	Frozen Drinks	Frozen Drinks	Frozen Drinks
Refrigerant Gas	R134a	R134a	R290	R290	R290	R290	R290	R290
Volts	220 -240V / 50Hz	220 -240V / 50Hz	220 -240V / 50Hz	220 -240V / 50Hz	220 -240V / 50Hz	220 -240V / 50Hz	220 -240V / 50Hz	220 -240V / 50Hz
Production Speed (25°C Room temperature)	Product ready in 110 - 120 minutes	Product ready in 130 - 190 minutes	Product ready in 90 minutes	Product ready in 110 minutes	Product ready in 90 minutes	Product ready in 110 minutes	Product ready in 90 minutes	Product ready in 20 minutes
Capacity	-	18 L (1 x 18L)	12 L (1 x 12L)	15 L (1 x 15L)	12 L (1 x 12L)	15 L (1 x 15L)	-	25L (7 Cylinder + 8L Hopper)
Dimensions W x D x H	-	21.5 x 60 x 85 cm	21.5 x 60 x 75 cm	21.5 x 60 x 85 cm	21.5 x 60 x 75 cm	21.5 x 60 x 85 cm	-	40 x 80 x 85 cm
Feet distance W x D	-	21.5 x 34 cm	21.5 x 34 cm	21.5 x 34 cm	21.5 x 34 cm	21.5 x 34 cm	-	40 x 47 cm
Weight	-	25 kg	25 kg	25 kg	25 kg	25 kg	-	100 kg
Watt	-	170 W	350 W	350 W	350 W	350 W	-	2000 W
Amp	-	1.2 A	2.5 A	2.5 A	2.5 A	2.5 A	-	8.5 A
Electrical Consumption (At 25°C Room temperature)	-	Cooling: 170 W/h Maintenance: 80 W/h	Freezing: 300 W/h Maintenance: 95 W/h Storage: 15 W/h	Freezing: 300 W/h Maintenance: 95 W/h Storage: 15 W/h	Freezing: 300 W/h Maintenance: 95 W/h Storage: 15 W/h	Freezing: 300 W/h Maintenance: 95 W/h Storage: 15 W/h	-	Freezing: 1600 W/h Maintenance: 140 W/h Storage: 95 W/h

2
Tanks

Capacity	15 L (2 x 7.5 L)	36 L (2 x 18L)	24 L (2 x 12L)	30 L (2 x 15L)	24 L (2 x 12L)	30 L (2 x 15L)	24 L (2 x 12L)	-
Dimensions W x D x H	21.5 x 60 x 72 cm	43 x 60 x 85 cm	43 x 60 x 75 cm	43 x 60 x 85 cm	43 x 60 x 75 cm	43 x 60 x 85 cm	45.5 x 62 x 90 cm	-
Feet distance W x D	21.5 x 34 cm	43 x 34 cm	43 x 34 cm	43 x 34 cm	43 x 34 cm	43 x 34 cm	42 x 34 cm	-
Weight	22 kg	40 kg	50 kg	50 kg	50 kg	50 kg	56 kg	-
Watt	190 W	180 W	700 W	700 W	700 W	700 W	750 W	-
Amp	1.3 A	1 A	3.5 A	3.5 A	3.5 A	3.5 A	4.5 A	-
Electrical Consumption (At 25°C Room temperature)	Cooling: 190 W/h Maintenance: 115 W/h	Cooling: 180 W/h Maintenance: 100 W/h	Freezing: 650 W/h Maintenance: 220 W/h Storage: 15 W/h	Freezing: 650 W/h Maintenance: 220 W/h Storage: 15 W/h	Freezing: 650 W/h Maintenance: 220 W/h Storage: 15 W/h	Freezing: 650 W/h Maintenance: 220 W/h Storage: 15 W/h	Freezing: 650 W/h Maintenance: 300 W/h Storage: 30 W/h	-

3
Tanks

Capacity	-	54 L (3 x 18L)	36 L (3 x 12L)	45 L (3 x 15L)	36 L (3 x 12L)	45 L (3 x 15L)	36 L (3 x 12L)	-
Dimensions W x D x H	-	65 x 60 x 85 cm	65 x 60 x 75 cm	65 x 60 x 85 cm	65 x 60 x 75 cm	65 x 60 x 85 cm	67 x 62 x 90 cm	-
Feet distance W x D	-	65 x 34 cm	65 x 34 cm	65 x 34 cm	65 x 34 cm	65 x 34 cm	59 x 34 cm	-
Weight	-	60 kg	75 kg	75 kg	75 kg	75 kg	70 kg	-
Watt	-	220 W	1200 W	1200 W	1200 W	1200 W	1000 W	-
Amp	-	1.3 A	5.5 A	5.5 A	5.5 A	5.5 A	5.5 A	-
Electrical Consumption (At 25°C Room temperature)	-	Cooling: 220 W/h Maintenance: 120 W/h	Freezing: 950 W/h Maintenance: 250 W/h Storage: 20 W/h	Freezing: 950 W/h Maintenance: 250 W/h Storage: 20 W/h	Freezing: 950 W/h Maintenance: 250 W/h Storage: 20 W/h	Freezing: 950 W/h Maintenance: 250 W/h Storage: 20 W/h	Freezing: 950 W/h Maintenance: 250 W/h Storage: 20 W/h	-



FEATURES COMPARISON



COOL xs

COOL

SMART

SMART XL

SMART +

SMART XL+

CLASSIC

DREAM

TANK & TAP & LID

Tap	Touchless	Smart	Push & Pull	Smart	Push & Pull	Smart	Push & Pull	Smart
Easy Bayonet Tap disassembly	✗	✓	✗	✓	✗	✓	✗	✓
Hinged Lid	✗	✓	✗	✓	✗	✓	✓	✗

LIGHTING

Light	✗	✗	✗	✗	✓	✓	✓	✓
Possibility to change the colour of the light	✗	✗	✗	✗	✓	✓	✗	✓

CUSTOMIZATION

Easy customization with stickers	✓	✓	✓	✓	✓	✓	✗	✓
Lid Flavour Tag	✗	✗	✗	✗	✓	✓	✗	✗


PERFORMANCE

Vertical Ventilation System (Zero Clearance Space)	✓	✓	✓	✓	✓	✓	✓	✓
Cyclic Reverse	✗	✗	✓	✓	✓	✓	✗	✗
Mixer with variable speed	✗	✗	✓	✓	✓	✓	✗	✓

CONTROL

Remote Control APP	✗	✗	✗	✗	✓	✓	✗	✗
Quick Defrost Mode (75% Faster)	✗	✗	✗	✗	✓	✓	✓	✗
Automatic Modes	✗	✗	✓	✓	✓	✓	✓	✓
Independent Bowl Control	✗	✗	✓	✓	✓	✓	✓	✓

Tank & Tap Selection




Lid Customization




Bowl Light


Remote Control included with this optional



Panel Customization



Available textures



Hot Gas

Remote Control included with this optional



Hot Gas

Remote Control included with this optional

Quick Defrost
Defrost your Slush 75% Faster
SMART

Remote control



Remote Control

Remote Control
Control your machine with your smartphone
SMART